

VECTOR-SPACES OVER UNSPECIFIED FIELDS

DAVID PIERCE

In the *Elements*, Euclid of Alexandria gives a geometric formulation of certain field-theoretic identities; for example, the identity

$$x^2 - y^2 = (x + y)(x - y)$$

is Euclid's Proposition II.5, but Euclid expresses in terms of the squares and rectangles bounded by certain lines. At the beginning of the *Geometry*, René Descartes shows how lines can be multiplied to produce *lines* rather than rectangles, if one line is chosen as unit. The construction justifies Descartes's algebraic treatment of geometry.

A model-theoretic version of Descartes's construction is that the theory of vector-spaces (as one-sorted structures, but over unspecified fields) can be axiomatized in the signature of abelian groups with a predicate for *parallelism* (binary linear dependence). The existentially closed models of this theory are two-dimensional spaces (over algebraically closed fields). If a predicate for n -ary linear dependence is introduced to the language, then the existentially closed models of the expanded theory are n -dimensional. In particular, a vector-space of dimension greater than n embeds in a space of dimension n so as to preserve independence in all n -element sets of vectors. This might be compared with the observation that existentially closed field-extensions have transcendence-degree one.

MATHEMATICS DEPARTMENT
MIDDLE EAST TECHNICAL UNIVERSITY
ANKARA 06531, TURKEY
E-mail: dpierce@metu.edu.tr
URL: <http://www.math.metu.edu.tr/~dpierce/>